


File View Edit Tools Window Help



Left

BR3:

ending

Actions

154: 154 winter ad 1. die ad 1. ad 1. ad 1.

155: 155 155 and 155 155 155 155 155 155

156: 156 winter ad 1. ad 1.

157: 157 157 157 157 157 157 157 157

158: 158 158 158 158 158 158 158 158

159: 159 159 and 159 159 159 159 159 159

160: 160 160 and 160 160 160 160 160 160

161: 161 161 and 161 161 161 161 161 161

162: 162 162 162 162 162 162 162 162

163: 163 163 163 163 163 163 163 163

164: 164 164 164 164 164 164 164 164

165: 165 165 165 165 165 165 165 165

166: 166 166 166 166 166 166 166 166

167: 167 167 167 167 167 167 167 167

168: 168 168 168 168 168 168 168 168

169: 169 169 169 169 169 169 169 169

170: 170 170 170 170 170 170 170 170

Failed

Saved

Favorites

Tagged (14)

UDC

Queue

Trash





Right



Ends

Default Highlight all hit terms initially

NUM

Ready

 BRS logo
  Hits
  Details
  HTML



	Document ID		Issue Date	Pag	Title	Current O		Cur
1	US 5004008 A		19980908	8	Catalytic dewaxing processes using alumina free coated			208
2	US 5015361 A		19910514	8	Catalytic dewaxing process employing surface acidity	208/111.2	5	208
3	US 4892646 A		19900109	12	Method for treating dewaxing catalysts	208/111.3	5	208
4	US 4684756 A		19870804	10	Process for upgrading wax from Fischer-Tropsch	585/330		518
5	US 4601993 A		19860722	18	Catalyst composition dewaxing of lubricating oils	502/66		208
6	US 4599162 A		19860708	9	Cascade hydrodewaxing process	208/59		208
7	US 4575416 A		19860311	15	Hydrodewaxing with mixed zeolite catalysts	208/111.3	5	208
8	US 4510043 A		19850409	8	Process for dewaxing of petroleum oils prior to	208/97		208
9	US 4508615 A		19850402	8	Multi-stage process for demetalation,	208/89		208
10	US 4372839 A		19830208	8	Production of high viscosity index lubricating oil stock	208/59		208

☐ BPS Icon
 ☒ HTML
 ☐ Details